

Hadar, R., Winter, R., Edemann-Callesen, H., Wieske, F., Habelt, B., Khadka, N., Felgel, V., Barroeta Hlusicka, E., Reis, J., Tatarau, C.A., Funke, K., Fritsch, B., Bernhardt, N., Bikson, M., Nitsche, M.A., **Winter, C.** Prevention of schizophrenia deficits via non-invasive adolescent frontal cortex stimulation in rats . Mol. Psychiatr. 2019 – in press

Klarer, M., Krieger, J.P., Richetto, J., Weber-Stadlbauer, U., Günther, L., **Winter, C.**, Arnold, M., Langhans, W., Meyer, U.: Abdominal Vagal Afferents Modulate the Brain Transcriptome and Behaviors Relevant to Schizophrenia. J Neurosci. 2018;38(7):1634-47. DOI: 10.1523/JNEUROSCI.0813-17.2017

Winter, C., Greene, D.M., Mavrogiorgou, P., Schaper, H., Sohr, R., Bult-Ito, A., Juckel, G.: Altered serotonergic and GABAergic neurotransmission in a mice model of obsessive-compulsive disorder. Behav Brain Res. 2018;337:240-5. DOI: 10.1016/j.bbr.2017.09.015

Behler, N., Leitner, B., Mezger, E., Weidinger, E., Musil, R., Blum, B., Kirsch, B., Wulf, L., Löhrs, L., **Winter, C.**, Padberg, F., Palm, U.: Cathodal tDCS Over Motor Cortex Does Not Improve Tourette Syndrome: Lessons Learned From a Case Series. Front Behav Neurosci. 2018;12:194. DOI: 10.3389/fnbeh.2018.00194

Teichert, M., Isstas, M., Wieske, F., **Winter, C.**, Bolz, J.: Cross-modal Restoration of Juvenile-like Ocular Dominance Plasticity after Increasing GABAergic Inhibition. Neuroscience. 2018;393:1-11. DOI: 10.1016/j.neuroscience.2018.09.040

Hadar, R., Bikovski, L., Soto-Montenegro, M.L., Schimke, J., Maier, P., Ewing, S., Voget, M., Wieske, F., Götz, T., Desco, M., Hamani, C., Pascau, J., Weiner, I., **Winter, C.**: Early neuromodulation prevents the development of brain and behavioral abnormalities in a rodent model of schizophrenia. Mol Psychiatr. 2018;23(4):943-51. DOI: 10.1038/mp.2017.52

Bernhardt, N., Lieser, M.K., Hlusicka, E.B., Habelt, B., Wieske, F., Edemann-Callesen, H., Garthe, A., **Winter, C.**: Learning deficits in rats overexpressing the dopamine transporter. Sci Rep. 2018;8(1):14173. DOI: 10.1038/s41598-018-32608-7

Gruber, D., Südmeyer, M., Deuschl, G., Falk, D., Krauss, J.K., Mueller, J., Müller, J.U., Poewe, W., Schneider, G.H., Schrader, C., Vesper, J., Volkmann, J., **Winter, C.**, Kupsch, A., Schnitzler, A., DBS study group for dystonia: Neurostimulation in tardive dystonia/dyskinesia: A delayed start, sham stimulation-controlled randomized trial. Brain Stimul. 2018;11(6):1368-77. DOI: 10.1016/j.brs.2018.08.006

Edemann-Callesen, H., Habelt, B., Wieske, F., Jackson, M., Khadka, N., Mattei, D., Bernhardt, N., Heinz, A., Liebetanz, D., Bikson, M., Padberg, F., Hadar, R., Nitsche, M.A., **Winter, C.**: Non-invasive modulation reduces repetitive behavior in a rat model through the sensorimotor cortico-striatal circuit. Transl Psychiatry. 2018;8(1):11. DOI: 10.1038/s41398-017-0059-5

Hadar, R., Voget, M., Vengeliene, V., Haumesser, J.K., van Riesen, C., Avchalumov, Y., Spanagel, R., **Winter, C.**: Altered neural oscillations and elevated dopamine levels in the reward pathway during alcohol relapse. Behav Brain Res. 2017;316:131-5. DOI: 10.1016/j.bbr.2016.08.045

Hadar, R., Dong, L., Del-Valle-Anton, L., Guneykaya, D., Voget, M., Edemann-Callesen, H., Schweibold, R., Djodari-Irani, A., Goetz, T., Ewing, S., Kettenmann, H., Wolf, S.A., **Winter, C.**: Deep brain stimulation during early adolescence prevents microglial alterations in a

model of maternal immune activation. *Brain Behav Immun.* 2017;63:71-80. DOI: 10.1016/j.bbi.2016.12.003

Szechtman, H., Ahmari, S.E., Beninger, R.J., Eilam, D., Harvey, B.H., Edemann-Callesen, H., **Winter, C.**: Obsessive-compulsive disorder: Insights from animal models. *Neurosci Biobehav R.* 2017;76(Pt B):254-79. DOI: 10.1016/j.neubiorev.2016.04.019

Bikovsky, L., Hadar, R., Soto-Montenegro, M.L., Klein, J., Weiner, I., Desco, M., Pascau, J., **Winter, C.**, Hamani, C.: Deep brain stimulation improves behavior and modulates neural circuits in a rodent model of schizophrenia. *Exp Neurol.* 2016;283(Pt A):142-50. DOI: 10.1016/j.expneurol.2016.06.012

Hadar, R., Vengeliene, V., Barroeta Hlusicke, E., Canals, S., Noori, H.R., Wieske, F., Rummel, J., Harnack, D., Heinz, A., Spanagel, R., **Winter, C.**: Paradoxical augmented relapse in alcohol-dependent rats during deep-brain stimulation in the nucleus accumbens. *Transl Psychiatry.* 2016;6(6):e840. DOI: 10.1038/tp.2016.100

Hadar, R., Edemann-Callesen, H., Reinel, C., Wieske, F., Voget, M., Popova, E., Sohr, R., Avchalumov, Y., Priller, J., van Riesen, C., Puls, I., Bader, M., **Winter, C.**: Rats overexpressing the dopamine transporter display behavioral and neurobiological abnormalities with relevance to repetitive disorders. *Sci Rep.* 2016;6:39145. DOI: 10.1038/srep39145

Casquero-Veiga, M., Hadar, R., Pascau, J., **Winter, C.**, Desco, M., Soto-Montenegro, M.L.: Response to Deep Brain Stimulation in Three Brain Targets with Implications in Mental Disorders: A PET Study in Rats. *PLoS ONE.* 2016;11(12):e0168689. DOI: 10.1371/journal.pone.0168689

Rummel, J., Voget, M., Hadar, R., Ewing, S., Sohr, R., Klein, J., Sartorius, A., Heinz, A., Mathé, A.A., Vollmayr, B., **Winter, C.**: Testing different paradigms to optimize antidepressant deep brain stimulation in different rat models of depression. *J Psychiatr Res.* 2016;81:36-45. DOI: 10.1016/j.jpsychires.2016.06.016

Winter, C., Bregman, T., Voget, M., Raymond, R., Hadar, R., Nobrega, J.N., Hamani, C.: Acute high frequency stimulation of the prefrontal cortex or nucleus accumbens does not increase hippocampal neurogenesis in rats. *J Psychiatr Res.* 2015;68:27-9. DOI: 10.1016/j.jpsychires.2015.05.012

Schwerk, A., Altschüler, J., Roch, M., Gossen, M., **Winter, C.**, Berg, J., Kurtz, A., Akyüz, L., Steiner, B.: Adipose-derived human mesenchymal stem cells induce long-term neurogenic and anti-inflammatory effects and improve cognitive but not motor performance in a rat model of Parkinson's disease. *Regen Med.* 2015;10(4):431-46. DOI: 10.2217/rme.15.17

Voget, M., Rummel, J., Avchalumov, Y., Sohr, R., Haumesser, J.K., Rea, E., Mathé, A.A., Hadar, R., van Riesen, C., **Winter, C.**: Altered local field potential activity and serotonergic neurotransmission are further characteristics of the Flinders sensitive line rat model of depression. *Behav Brain Res.* 2015;291:299-305. DOI: 10.1016/j.bbr.2015.05.027

Berg, J., Roch, M., Altschüler, J., **Winter, C.**, Schwerk, A., Kurtz, A., Steiner, B.: Human adipose-derived mesenchymal stem cells improve motor functions and are neuroprotective in the 6-hydroxydopamine-rat model for Parkinson's disease when cultured in monolayer cultures but suppress hippocampal neurogenesis and hippocampal memory function when cultured in spheroids. *Stem Cell Rev Rep.* 2015;11(1):133-49. DOI: 10.1007/s12015-014-9551-y

Schwerk, A., Altschüler, J., Roch, M., Gossen, M., **Winter, C.**, Berg, J., Kurtz, A., Steiner, B.: Human adipose-derived mesenchymal stromal cells increase endogenous neurogenesis in the rat subventricular zone acutely after 6-hydroxydopamine lesioning. *Cytotherapy*. 2015;17(2):199-214. DOI: 10.1016/j.jcyt.2014.09.005

Edemann-Callesen, H., Voget, M., Empl, L., Vogel, M., Wieske, F., Rummel, J., Heinz, A., Mathé, A.A., Hadar, R., **Winter, C.**: Medial Forebrain Bundle Deep Brain Stimulation has Symptom-specific Anti-depressant Effects in Rats and as Opposed to Ventromedial Prefrontal Cortex Stimulation Interacts With the Reward System. *Brain Stimul*. 2015;8(4): 714-23. DOI: 10.1016/j.brs.2015.02.009

Jadavji, N.M., Wieske, F., Dirnagl, U., **Winter, C.**: Methylenetetrahydrofolate reductase deficiency alters levels of glutamate and γ -aminobutyric acid in brain tissue. *Mol Genet Metab Rep*. 2015;3:1-4. DOI: 10.1016/j.ymgmr.2015.02.001

Hadar, R., Soto-Montenegro, M.L., Götz, T., Wieske, F., Sohr, R., Desco, M., Hamani, C., Weiner, I., Pascau, J., **Winter, C.**: Using a maternal immune stimulation model of schizophrenia to study behavioral and neurobiological alterations over the developmental course. *Schizophr Res*. 2015;166(1-3):238-47. DOI: 10.1016/j.schres.2015.05.010

Rea, E., Rummel, J., Schmidt, T.T., Hadar, R., Heinz, A., Mathé, A.A., **Winter, C.**: Anti-anhedonic effect of deep brain stimulation of the prefrontal cortex and the dopaminergic reward system in a genetic rat model of depression: an intracranial self-stimulation paradigm study. *Brain Stimul*. 2014;7(1):21-8. DOI: 10.1016/j.brs.2013.09.002

Klarer, M., Arnold, M., Günther, L., **Winter, C.**, Langhans, W., Meyer, U.: Gut vagal afferents differentially modulate innate anxiety and learned fear. *J Neurosci*. 2014;34(21):7067-76. DOI: 10.1523/JNEUROSCI.0252-14.2014

Schreiweis, C., Bornschein, U., Burguière, E., Kerimoglu, C., Schreiter, S., Dannemann, M., Goyal, S., Rea, E., French, C.A., Puliyadi, R., Groszer, M., Fisher, S.E., Mundry, R., **Winter, C.**, Hevers, W., Pääbo, S., Enard, W., Graybiel, A.M.: Humanized Foxp2 accelerates learning by enhancing transitions from declarative to procedural performance. *P Natl Acad Sci USA*. 2014;111(39):14253-8. DOI: 10.1073/pnas.1414542111

Mattei, D., Djodari-Irani, A., Hadar, R., Pelz, A., de Cossío, L.F., Goetz, T., Matyash, M., Kettenmann, H., **Winter, C.**, Wolf, S.A.: Minocycline rescues decrease in neurogenesis, increase in microglia cytokines and deficits in sensorimotor gating in an animal model of schizophrenia. *Brain Behav Immun*. 2014;38:175-84. DOI: 10.1016/j.bbi.2014.01.019

Balog, J., Matthies, U., Naumann, L., Voget, M., Winter, C., Lehmann, K.: Social experience modulates ocular dominance plasticity differentially in adult male and female mice. *Neuroimage*. 2014;103:454-61. DOI: 10.1016/j.neuroimage.2014.08.040

Ewing, S.G., Lipski, W.J., Grace, A.A., **Winter, C.**: An inexpensive, charge-balanced rodent deep brain stimulation device: a step-by-step guide to its procurement and construction. *J Neurosci Meth*. 2013;219(2):324-30. DOI: 10.1016/j.jneumeth.2013.08.003

Schmidt, T.T., Rea, E., Shababi-Klein, J., Panagis, G., **Winter, C.**: Enhanced reward-facilitating effects of d-amphetamine in rats in the quinpirole model of obsessive-compulsive disorder. *Int J Neuropsychoph*. 2013;16(5):1083-91. DOI: 10.1017/S1461145712000983

Klein, J., Hadar, R., Götz, T., Männer, A., Eberhardt, C., Baldassarri, J., Schmidt, T.T., Kupsch, A., Heinz, A., Morgenstern, R., Schneider, M., Weiner, I., **Winter, C.**: Mapping brain

regions in which deep brain stimulation affects schizophrenia-like behavior in two rat models of schizophrenia. *Brain Stimul.* 2013;6(4):490-9. DOI: 10.1016/j.brs.2012.09.004

Ewing, S.G., Porr, B., Riddell, J., **Winter, C.**, Grace, A.A.: SaBer DBS: a fully programmable, rechargeable, bilateral, charge-balanced preclinical microstimulator for long-term neural stimulation. *J Neurosci Meth.* 2013;213(2):228-35. DOI: 10.1016/j.jneumeth.2012.12.008

Giovanoli, S., Engler, H., Engler, A., Richetto, J., Voget, M., Willi, R., **Winter, C.**, Riva, M.A., Mortensen, P.B., Feldon, J., Schedlowski, M., Meyer, U.: Stress in puberty unmasks latent neuropathological consequences of prenatal immune activation in mice. *Science.* 2013;339(6123):1095-9. DOI: 10.1126/science.1228261

Ewing, S.G., **Winter, C.**: The ventral portion of the CA1 region of the hippocampus and the prefrontal cortex as candidate regions for neuromodulation in schizophrenia. *Med Hypotheses.* 2013;80(6):827-32. DOI: 10.1016/j.mehy.2013.03.026

Rzesnitzek, L., **Winter, C.**: Tiefe Hirnstimulation – Risiken und Nebenwirkungen. In: Kuhn, J., Gaebel, W., (Hrsg.) 1. Aufl. W. Kohlhammer GmbH Buchverlag;2013; S. V22.

Brimberg, L., Benhar, I., Mascaro-Blanco, A., Alvarez, K., Lotan, D., **Winter, C.**, Klein, J., Moses, A.E., Somnier, F.E., Leckman, J.F., Swedo, S.E., Cunningham, M.W., Joel, D.: Behavioral, pharmacological, and immunological abnormalities after streptococcal exposure: a novel rat model of Sydenham chorea and related neuropsychiatric disorders. *Neuropsychopharmacol.* 2012;37(9):2076-87. DOI: 10.1038/npp.2012.56

Lagemann, T., Rentzsch, J., Montag, C., Gallinat, J., Jockers-Scherübl, M., **Winter, C.**, Reischies, F.M.: Early orbitofrontal hyperactivation in obsessive-compulsive disorder. *Psychiat Res.* 2012;202(3):257-63. DOI: 10.1016/j.psychres.2011.10.002

Schmidt, T.T., Klein, J., Panagis, G., **Winter, C.**: Increased D-amphetamine response in intracranial self stimulation in the quinpirole rat model of obsessive compulsive disorders. *Int J Neuropsychoph.* 2012;16:1083-91.

Coquery, N., Blesch, A., Stroh, A., Fernández-Klett, F., Klein, J., **Winter, C.**, Priller, J.: Intrahippocampal transplantation of mesenchymal stromal cells promotes neuroplasticity. *Cytotherapy.* 2012;14(9):1041-53. DOI: 10.3109/14653249.2012.694418

Willi, R., **Winter, C.**, Wieske, F., Kempf, A., Klein, R., Yee, B.K., Schwab, M.E., Singer, P.: Loss of EphA4 induces behavioral phenotypes resembling hippocampal dysfunctions. *Genes Brain Behav.* 2012;11:1020-31.

Lesemann, A., Reinel, C., Hühnchen, P., Pilhatsch, M., Hellweg, R., Klaissle, P., **Winter, C.**, Steiner, B.: MPTP-induced hippocampal effects on serotonin, dopamine, neurotrophins, adult neurogenesis and depression-like behavior are partially influenced by fluoxetine in adult mice. *Brain Res.* 2012;1457:51-69. DOI: 10.1016/j.brainres.2012.03.046

Winter, C.: Tiermodelle der Zwangsstörung. In: Gründer, G., Benkert, O., (Hrsg.) 1. Aufl. Springer-Verlag GmbH in Springer International Publishing AG. Part of Springer Nature;2012; S. 27b.

Djodari-Irani, A., Klein, J., Banzhaf, J., Joel, D., Heinz, A., Harnack, D., Lagemann, T., Juckel, G., Kupsch, A., Morgenstern, R., **Winter, C.**: Activity modulation of the globus pallidus and the nucleus entopeduncularis affects compulsive checking in rats. *Behav Brain Res.* 2011;219(1):149-58. DOI: 10.1016/j.bbr.2010.12.036

Klein, J., Soto-Montenegro, M.L., Pascau, J., Günther, L., Kupsch, A., Desco, M., **Winter, C.**: A novel approach to investigate neuronal network activity patterns affected by deep brain stimulation in rats. *J Psychiatr Res.* 2011;45(7):927-30. DOI: 10.1016/j.jpsychires.2010.12.008

Kuhn, J., Bodatsch, M., Sturm, V., Lenartz, D., Klosterkötter, J., Uhlhaas, P.J., **Winter, C.**, Gründler, T.O.: Deep brain stimulation in schizophrenia. *Fortschr Neurol Psyc.* 2011;79:632-41.

Wutzler, A., Mavrogiorgou, P., **Winter, C.**, Juckel, G.: Elevation of brain serotonin during dying. *Neurosci Lett.* 2011;498(1):20-1. DOI: 10.1016/j.neulet.2011.04.051

Klavir, O., **Winter, C.**, Joel, D.: High but not low frequency stimulation of both the globus pallidus and the entopeduncular nucleus reduces 'compulsive' lever-pressing in rats. *Behav Brain Res.* 2011;216(1):84-93. DOI: 10.1016/j.bbr.2010.07.018

Pilhatsch, M., Marxen, M., **Winter, C.**, Smolka, M.N., Bauer, M.: Hypothyroidism and mood disorders: integrating novel insights from brain imaging techniques. *Thyroid Res.* 2011;4 Suppl 1:S3. DOI: 10.1186/1756-6614-4-S1-S3

Beucke, J.C., Plotkin, M., **Winter, C.**, Endrass, T., Amthauer, H., Juckel, G., Kupsch, A.: Midbrain serotonin transporters in de novo and L-DOPA-treated patients with early Parkinson's disease--a [123 I]-ADAM SPECT study. *Eur J Neurol.* 2011;18(5):750-5. DOI: 10.1111/j.1468-1331.2010.03274.x

Winter, C., Vollmayr, B., Djodari-Irani, A., Klein, J., Sartorius, A.: Pharmacological inhibition of the lateral habenula improves depressive-like behavior in an animal model of treatment resistant depression. *Behav Brain Res.* 2011;216(1):463-5. DOI: 10.1016/j.bbr.2010.07.034

Pilhatsch, M., Wolf, R., **Winter, C.**, Lewitzka, U., Bauer, M.: Comparison of paroxetine and amitriptyline as adjunct to lithium maintenance therapy in bipolar depression: a reanalysis of a randomized, double-blind study. *J Affect Disorders.* 2010;126(3):453-7. DOI: 10.1016/j.jad.2010.04.025

Willi, R., Weinmann, O., **Winter, C.**, Klein, J., Sohr, R., Schnell, L., Yee, B.K., Feldon, J., Schwab, M.E.: Constitutive genetic deletion of the growth regulator Nogo-A induces schizophrenia-related endophenotypes. *J Neurosci.* 2010;30(2):556-67. DOI: 10.1523/JNEUROSCI.4393-09.2010

Pilhatsch, M., **Winter, C.**, Nordström, K., Vennström, B., Bauer, M., Juckel, G.: Increased depressive behaviour in mice harboring the mutant thyroid hormone receptor alpha 1. *Behav Brain Res.* 2010;214(2):187-92. DOI: 10.1016/j.bbr.2010.05.016

Klein, J., **Winter, C.**, Coquery, N., Heinz, A., Morgenstern, R., Kupsch, A., Juckel, G.: Lesion of the medial prefrontal cortex and the subthalamic nucleus selectively affect depression-like behavior in rats. *Behav Brain Res.* 2010;213(1):73-81. DOI: 10.1016/j.bbr.2010.04.036

Mavrogiorgou, P., Gohle, D., **Winter, C.**, Rujescu, D., Pogarell, O., Mulert, C., Bär, K.J., Zaudig, M., Hegerl, U., Juckel, G.: Low serotonergic function and its normalization by treatment with sertraline in obsessive-compulsive disorder--an auditory evoked potential study. *J Clin Psychopharm.* 2010;30(3):341-3. DOI: 10.1097/JCP.0b013e3181db354f

Beucke, J.C., Uhl, I., Plotkin, M., **Winter, C.**, Assion, H.J., Endrass, T., Amthauer, H., Kupsch, A., Juckel, G.: Serotonergic neurotransmission in early Parkinson's disease: a pilot study to

assess implications for depression in this disorder. *World J Biol Psychiatry*. 2010;11(6):781-7. DOI: 10.3109/15622975.2010.491127

Schilman, E.A., Klavir, O., **Winter, C.**, Sohr, R., Joel, D.: The role of the striatum in compulsive behavior in intact and orbitofrontal-cortex-lesioned rats: possible involvement of the serotonergic system. *Neuropsychopharmacol*. 2010;35(4):1026-39. DOI: 10.1038/npp.2009.208

Winter, C., Harnack, D., Kupsch, A.: Tierexperimentelle Untersuchungen zu Wirkung und Wirkmechanismen der Tiefen Hirnstimulation bei neurologischen und psychiatrischen Erkrankungen. *Nervenarzt*. 2010;81:711-8.

Enard, W., Gehre, S., Hammerschmidt, K., Hölter, S.M., Blass, T., Somel, M., Brückner, M.K., Schreiweis, C., **Winter, C.**, Sohr, R., Becker, L., Wiebe, V., Nickel, B., Giger, T., Müller, U., Groszer, M., Adler, T., Aguilar, A., Bolle, I., Calzada-Wack,...[mehr] A humanized version of *Foxp2* affects cortico-basal ganglia circuits in mice. *Cell*. 2009;137(5):961-71. DOI: 10.1016/j.cell.2009.03.041

Klavir, O., Flash, S., **Winter, C.**, Joel, D.: High frequency stimulation and pharmacological inactivation of the subthalamic nucleus reduces 'compulsive' lever-pressing in rats. *Exp Neurol*. 2009;215(1):101-9. DOI: 10.1016/j.expneurol.2008.09.017

Mundt, A., Klein, J., Joel, D., Heinz, A., Djodari-Irani, A., Harnack, D., Kupsch, A., Orawa, H., Juckel, G., Morgenstern, R., **Winter, C.**: High-frequency stimulation of the nucleus accumbens core and shell reduces quinpirole-induced compulsive checking in rats. *Eur J Neurosci*. 2009;29(12):2401-12. DOI: 10.1111/j.1460-9568.2009.06777.x

Petrus, D.S., Fabel, K., Kronenberg, G., **Winter, C.**, Steiner, B., Kempermann, G.: NMDA and benzodiazepine receptors have synergistic and antagonistic effects on precursor cells in adult hippocampal neurogenesis. *Eur J Neurosci*. 2009;29(2):244-52. DOI: 10.1111/j.1460-9568.2008.06579.x

Winter, C., Djodari-Irani, A., Sohr, R., Morgenstern, R., Feldon, J., Juckel, G., Meyer, U.:

Prenatal immune activation leads to multiple changes in basal neurotransmitter levels in the adult brain: implications for brain disorders of neurodevelopmental origin such as schizophrenia. *Int J Neuropsychoph*. 2009;12(4):513-24. DOI: 10.1017/S1461145708009206

Juckel, G., Uhl, I., Padberg, F., Brüne, M., **Winter, C.**: Psychosurgery and deep brain stimulation as ultima ratio treatment for refractory depression. *Eur Arch Psy Clin N*. 2009;259(1):1-7. DOI: 10.1007/s00406-008-0826-7

Gudlowski, Y., Ozgürdal, S., Witthaus, H., Gallinat, J., Hauser, M., **Winter, C.**, Uhl, I., Heinz, A., Juckel, G.: Serotonergic dysfunction in the prodromal, first-episode and chronic course of schizophrenia as assessed by the loudness dependence of auditory evoked activity. *Schizophr Res*. 2009;109(1-3):141-7. DOI: 10.1016/j.schres.2009.02.008

Mundt, A.P., **Winter, C.**, Mueller, S., Wuerfel, J., Tysiak, E., Schnorr, J., Taupitz, M., Heinz, A., Juckel, G.: Targeting activated microglia in Alzheimer's pathology by intraventricular delivery of a phagocytosable MRI contrast agent in APP23 transgenic mice. *Neuroimage*. 2009;46(2):367-72.

Winter, C., Heinz, A., Kupsch, A., Ströhle, A.: Aripiprazole in a case presenting with tourette syndrome and obsessive-compulsive disorder. *J Clin Psychopharm*. 2008;28(4):452-4. DOI: 10.1097/JCP.0b013e31817d86cc

Manahan-Vaughan, D., von Haebler, D., **Winter, C.**, Juckel, G., Heinemann, U.: A single application of MK801 causes symptoms of acute psychosis, deficits in spatial memory, and impairment of synaptic plasticity in rats. *Hippocampus*. 2008;18(2):125-34. DOI: 10.1002/hipo.20367

Juckel, G., Kawohl, W., Giegling, I., Mavrogiorgou, P., **Winter, C.**, Pogarell, O., Mulert, C., Hegerl, U., Rujescu, D.: Association of catechol-O-methyltransferase variants with loudness dependence of auditory evoked potentials. *Hum Psychopharm Clin*. 2008;23(2):115-20. DOI: 10.1002/hup.906

Harnack, D., Meissner, W., Paulat, R., Hilgenfeld, H., Müller, W.D., **Winter, C.**, Morgenstern, R., Kupsch, A.: Continuous high-frequency stimulation in freely moving rats: development of an implantable microstimulation system. *J Neurosci Meth*. 2008;167(2):278-91. DOI: 10.1016/j.jneumeth.2007.08.019

Winter, C., Reutiman, T.J., Folsom, T.D., Sohr, R., Wolf, R.J., Juckel, G., Fatemi, S.H.: Dopamine and serotonin levels following prenatal viral infection in mouse--implications for psychiatric disorders such as schizophrenia and autism. *Eur Neuropsychopharm*. 2008;18(10):712-6. DOI: 10.1016/j.euroneuro.2008.06.001

Winter, C., Mundt, A., Jalali, R., Joel, D., Harnack, D., Morgenstern, R., Juckel, G., Kupsch, A.: High frequency stimulation and temporary inactivation of the subthalamic nucleus reduce quinpirole-induced compulsive checking behavior in rats. *Exp Neurol*. 2008;210(1):217-28. DOI: 10.1016/j.expneurol.2007.10.020

Winter, C., Lemke, C., Sohr, R., Meissner, W., Harnack, D., Juckel, G., Morgenstern, R., Kupsch, A.: High frequency stimulation of the subthalamic nucleus modulates neurotransmission in limbic brain regions of the rat. *Exp Brain Res*. 2008;185(3):497-507. DOI: 10.1007/s00221-007-1171-1

Wutzler, A., **Winter, C.**, Kitzrow, W., Uhl, I., Wolf, R.J., Heinz, A., Juckel, G.: Loudness dependence of auditory evoked potentials as indicator of central serotonergic neurotransmission: simultaneous electrophysiological recordings and in vivo microdialysis in the rat primary auditory cortex. *Neuropsychopharmacol*. 2008;33(13):3176-81. DOI: 10.1038/npp.2008.42

Fatemi, S.H., Reutiman, T.J., Folsom, T.D., Huang, H., Oishi, K., Mori, S., Smee, D.F., Pearce, D.A., **Winter, C.**, Sohr, R., Juckel, G.: Maternal infection leads to abnormal gene regulation and brain atrophy in mouse offspring: implications for genesis of neurodevelopmental disorders. *Schizophr Res*. 2008;99(1-3):56-70. DOI: 10.1016/j.schres.2007.11.018

Albert, F.W., Shchepina, O., **Winter, C.**, Römpler, H., Teupser, D., Palme, R., Ceglarek, U., Kratzsch, J., Sohr, R., Trut, L.N., Thiery, J., Morgenstern, R., Plyusnina, I.Z., Schöneberg, T., Pääbo, S.:

Phenotypic differences in behavior, physiology and neurochemistry between rats selected for tameness and for defensive aggression towards humans. *Horm Behav*. 2008;53(3):413-21. DOI: 10.1016/j.yhbeh.2007.11.010

Harnack, D., Meissner, W., Jira, J.A., **Winter, C.**, Morgenstern, R., Kupsch, A.: Placebo-controlled chronic high-frequency stimulation of the subthalamic nucleus preserves dopaminergic nigral neurons in a rat model of progressive Parkinsonism. *Exp Neurol*. 2008;210(1):257-60. DOI: 10.1016/j.expneurol.2007.10.002

Reese, R., **Winter, C.**, Nadjar, A., Harnack, D., Morgenstern, R., Kupsch, A., Bezard, E., Meissner, W.: Subthalamic stimulation increases striatal tyrosine hydroxylase phosphorylation. *Neuroreport*. 2008;19(2):179-82. DOI: 10.1097/WNR.0b013e3282f417b4

Steiner, B., **Winter, C.**, Blumensath, S., Paul, G., Harnack, D., Nikkhah, G., Kupsch, A.: Survival and functional recovery of transplanted human dopaminergic neurons into hemiparkinsonian rats depend on the cannula size of the implantation instrument. *J Neurosci Meth*. 2008;169(1):128-34. DOI: 10.1016/j.jneumeth.2007.11.032

Winter, C., Flash, S., Klavir, O., Klein, J., Sohr, R., Joel, D.: The role of the subthalamic nucleus in 'compulsive' behavior in rats. *Eur J Neurosci*. 2008;27(8):1902-11. DOI: 10.1111/j.1460-9568.2008.06148.x

Steiner, B., Kupsch, A., Siebert, E., Hosmann, K., Klempin, F., Morgenstern, R., **Winter, C.**: Unilateral lesion of the subthalamic nucleus transiently provokes bilateral subacute glial cell proliferation in the adult rat substantia nigra. *Neurosci Lett*. 2008;430(2):103-8. DOI: 10.1016/j.neulet.2007.10.045

Winter, C., Heinz, A.: Neurotransmitter Disorders: Tourette Syndrome. In: Larry R. Squire, (Hrsg.) 1. Aufl. Academic Press of Elsevier;2008

Mundt, A.P., Sarkar, R., **Winter, C.**, Schaefer, M., Ströhle, A.: Exacerbation of Psychogenic Movement Disorder by Interferon{alpha} Treatment of Hepatitis C. *Psychosomatics*. 2007;48(1):86-7. DOI: 10.1176/appi.psy.48.1.86

Winter, C., von Rumohr, A., Mundt, A., Petrus, D., Klein, J., Lee, T., Morgenstern, R., Kupsch, A., Juckel, G.: Lesions of dopaminergic neurons in the substantia nigra pars compacta and in the ventral tegmental area enhance depressive-like behavior in rats. *Behav Brain Res*. 2007;184(2):133-41. DOI: 10.1016/j.bbr.2007.07.002

Steiner, B., **Winter, C.**, Hosman, K., Siebert, E., Kempermann, G., Petrus, D.S., Kupsch, A.: Enriched environment induces cellular plasticity in the adult substantia nigra and improves motor behavior function in the 6-OHDA rat model of Parkinson's disease. *Exp Neurol*. 2006;199(2):291-300. DOI: 10.1016/j.expneurol.2005.11.004

Winter, C., Juckel, G., Plotkin, M., Niehaus, L., Kupsch, A.: Paranoid schizophrenia and idiopathic Parkinson's disease do coexist: a challenge for clinicians. *Psychiat Clin Neuros*. 2006;60(5):639. DOI: 10.1111/j.1440-1819.2006.01572.x

Winter, C., Hosmann, K., Harnack, D., Meissner, W., Paul, G., Morgenstern, R., Kupsch, A.: Subthalamic nucleus lesioning inhibits expression and phosphorylation of c-Jun in nigral neurons in the rat's 6-OHDA model of Parkinson's disease. *Synapse*. 2006;60(1):69-80. DOI: 10.1002/syn.20269

Winter, C., Heinz, A.: Anthropologische und Neurobiologische Aspekte der Zwangsstörung. In: Boehlke, E., Heinz, A., Heuser, M.P., (Hrsg.) 1. Aufl. Berlin University Press GmbH & Co KG (bup);2006; S. 32-40.

Soyka, M., **Winter, C.**, Kagerer, S., Brunbauer, M., Laux, G., Möller, H.J.: Effects of haloperidol and risperidone on psychomotor performance relevant to driving ability in schizophrenic patients compared to healthy controls. *J Psychiatr Res*. 2005;39(1):101-8. DOI: 10.1016/j.jpsychires.2004.04.006

Juckel, G., **Winter, C.**, Padberg, F.: Psychochirurgie und Tiefenhirnstimulation. In: Bauer, M., Berghöfer, A., Adli, M., (Hrsg.) 2. Aufl. Springer-Verlag GmbH in Springer International Publishing AG. Part of Springer Nature;2005;

Paul, G., Meissner, W., Rein, S., Harnack, D., **Winter, C.**, Hosmann, K., Morgenstern, R., Kupsch, A.: Ablation of the subthalamic nucleus protects dopaminergic phenotype but not cell survival in a rat model of Parkinson's disease. *Exp Neurol.* 2004;185(2):272-80.

Meissner, W., Harnack, D., Hoessle, N., Bezard, E., **Winter, C.**, Morgenstern, R., Kupsch, A.: High frequency stimulation of the entopeduncular nucleus has no effect on striatal dopaminergic transmission. *Neurochem Int.* 2004;44(4):281-6.

Trottenberg, T., **Winter, C.**, Alesch, F., Kupsch, A.: Risk of tissue damage and deep brain stimulation with external devices: A technical note. *Ann Neurol.* 2004;56(2):310-1. DOI: 10.1002/ana.20181

Bergmann, O., **Winter, C.**, Meissner, W., Harnack, D., Kupsch, A., Morgenstern, R., Reum, T.: Subthalamic high frequency stimulation induced rotations are differentially mediated by D1 and D2 receptors. *Neuropharmacology.* 2004;46(7):974-83. DOI: 10.1016/j.neuropharm.2004.01.007

Harnack, D., **Winter, C.**, Meissner, W., Reum, T., Kupsch, A., Morgenstern, R.: The effects of electrode material, charge density and stimulation duration on the safety of high-frequency stimulation of the subthalamic nucleus in rats. *J Neurosci Meth.* 2004;138(1-2):207-16. DOI: 10.1016/j.jneumeth.2004.04.019

Meisel, A., **Winter, C.**, Zschenderlein, R., Arnold, G.: Tourette syndrome: efficient treatment with ziprasidone and normalization of body weight in a patient with excessive weight gain under tiapride. *Movement Disord.* 2004;19(8):991-2. DOI: 10.1002/mds.20218

Krauss, J., **Winter, C.**, Kupsch, A.: Dystonie. In: Krauss, J., Vokmann, J., (Hrsg.) 1. Aufl. Dr. Dietrich Steinkopff Verlag im Springer-Verlag;2004; S. 145-63.

Kupsch, A., Kuehn, A., Klaffke, S., Meissner, W., Harnack, D., **Winter, C.**, Haelbig, T.D., Kivi, A., Arnold, G., Einhäupl, K.M., Schneider, G.H., Trottenberg, T.: Deep brain stimulation in dystonia. *J Neurol.* 2003;250 Suppl 1:147-52. DOI: 10.1007/s00415-003-1110-2

Meissner, W., Harnack, D., Reese, R., Paul, G., Reum, T., Ansorge, M., Kusserow, H., **Winter, C.**, Morgenstern, R., Kupsch, A.: High-frequency stimulation of the subthalamic nucleus enhances striatal dopamine release and metabolism in rats. *J Neurochem.* 2003;85(3):601-9

Winter, C., Weiss, C., Martin-Villalba, A., Zimmermann, M., Schenkel, J.: JunB and Bcl-2 overexpression results in protection against cell death of nigral neurons following axotomy. *Mol Brain Res.* 2002;104(2):194-202.

Meissner, W., Harnack, D., Paul, G., Reum, T., Morgenstern, R., **Winter, C.**, and Kupsch, A.: Influence of deep brain stimulation on striatal dopamine release and metabolism in the 6-OHDA model of Parkinson's disease. In: Nicholson, F.B., Faull, R.L.M., (Hrsg.) 1. Aufl. Kluwer Academic Publishers (bis 2004);2002; S. 77-86.

Winter, C., Schenkel, J., Bürger, E., Eickmeier, C., Zimmermann, M., Herdegen, T.: The immunophilin ligand FK506, but not GPI-1046, protects against neuronal death and inhibits c-Jun expression in the substantia nigra pars compacta following transection of the rat medial forebrain bundle. *Neuroscience.* 2000;95(3):753-62.

Herdegen, T., Claret, F.X., Kallunki, T., Martin-Villalba, A., **Winter, C.**, Hunter, T., Karin, M.: Lasting N-terminal phosphorylation of c-Jun and activation of c-Jun N-terminal kinases after neuronal injury. *J Neurosci.* 1998;18(14):5124-35.

Winter, C., Schenkel, J., Zimmermann, M., Herdegen, T.: MAP kinase phosphatase 1 is expressed and enhanced by FK506 in surviving mamillary, but not degenerating nigral neurons following axotomy. *Brain Res.* 1998;801(1-2):198-205.

Martin-Villalba, A., **Winter, C.**, Brecht, S., Buschmann, T., Zimmermann, M., Herdegen, T.: Rapid and long-lasting suppression of the ATF-2 transcription factor is a common response to neuronal injury. *Mol Brain Res.* 1998;62(2):158-66.

Herdegen, T., Blume, A., Buschmann, T., Georgakopoulos, E., **Winter, C.**, Schmid, W., Hsieh, T.F., Zimmermann, M., Gass, P.: Expression of activating transcription factor-2, serum response factor and cAMP/Ca response element binding protein in the adult rat brain following generalized seizures, nerve fibre lesion and ultraviolet irradiation. *Neuroscience.* 1997;81(1):199-212.